

溪頭營林區植物名錄

1. Pteridophytes 蕨類植物

1. Adiantaceae 鐵線蕨科

1. *Adiantum diaphanum* Blume 長尾鐵線蕨 (H, V, C)
2. *Coniogramme fraxinea* (Don) Diels 全緣鳳了蕨 (H, V, C)
3. *Coniogramme intermedia* Hieron. 華鳳了蕨 (H, V, C)
4. *Coniogramme japonica* (Thunb.) Diels 日本鳳了蕨 (H, V, C)

2. Aspidiaceae 三叉蕨科

5. *Ctenitis eatonii* (Bak.) Ching 愛德氏肋毛蕨 (H, V, C)
6. *Ctenitis subglandulosa* (Hance) Ching 肋毛蕨 (H, V, C)
7. *Tectaria coadunata* (J. Sm.) C. Chr. 觀音三叉蕨 (H, V, M)
8. *Tectaria dissecta* (Forst.) Lellinger 南洋三叉蕨 (H, V, M)

3. Aspleniaceae 鐵角蕨科

9. *Asplenium antiquum* Makino 山蘇花 (H, V, C)
10. *Asplenium bullatum* Wall. 大鐵角蕨 (H, V, M)
11. *Asplenium cataractarum* Rosenst 瀑布鐵角蕨 (H, V, C)
12. *Asplenium cheilosorum* Kunze ex Mett. 薄葉孔雀鐵角蕨 (H, V, C)
13. *Asplenium cuneatiforme* Christ 大蓬萊鐵角蕨 (H, E, C)
14. *Asplenium cuneatum* Lam. 大黑柄鐵角蕨 (H, V, C)
15. *Asplenium ensiforme* Wall. ex Hook. & Grev. 劍葉鐵角蕨 (H, V, M)
16. *Asplenium excisum* Presl 剪葉鐵角蕨 (H, V, C)
17. *Asplenium formosae* Christ 南海鐵角蕨 (H, V, M)
18. *Asplenium griffithianum* Hook. 叢葉鐵角蕨 (H, V, M)
19. *Asplenium laciniatum* Don 鱗柄鐵角蕨 (H, V, M)
20. *Asplenium nidus* L. 臺灣山蘇花 (H, V, C)
21. *Asplenium normale* Don 生芽鐵角蕨 (H, V, C)
22. *Asplenium prolongatum* Hook. 長生鐵角蕨 (H, V, C)
23. *Asplenium ritoense* Hayata 尖葉鐵角蕨 (H, V, C)
24. *Asplenium tenerum* Forst. 鈍齒鐵角蕨 (H, V, M)
25. *Asplenium tenuifolium* Don 薄葉鐵角蕨 (H, V, M)
26. *Asplenium trichomanes* L. 鐵角蕨 (H, V, C)
27. *Asplenium tripteropus* Nakai 三翅鐵角蕨 (H, V, M)
28. *Asplenium wilfordii* Mett. ex Kuhn 威氏鐵角蕨 (H, V, M)
29. *Asplenium wrightii* Eaton 萊氏鐵角蕨 (H, V, M)

4. Athyriaceae 蹄蓋蕨科

30. *Acystopteris tenuisecta* (Bl.) Tagawa 禾桿亮毛蕨 (H, V, U)
31. *Athyriopsis japonica* (Thunb.) Ching 假蹄蓋蕨 (H, V, C)

32. *Athyrium arisanense* (Hayata) Tagawa 阿里山蹄蓋蕨 (H, V, M)
33. *Athyrium erythropodum* Hayata 紅柄蹄蓋蕨 (H, V, M)
34. *Athyrium fragile* Tard.-Blot 花蓮蹄蓋蕨 (H, V, R)
35. *Athyrium goeringianum* (Kunze) Moore 細葉蹄蓋蕨 (H, V, M)
36. *Athyrium silvicolum* Tagawa 高山蹄蓋蕨 (H, V, C)
37. *Cornopteris fluvialis* (Hayata) Tagawa 大葉貞蕨 (H, V, M)
38. *Cornopteris opaca* (D. Don) Tagawa 黑柄貞蕨 (H, V, M)
39. *Cystopteris tenuisecta* (Blume) Mett. 粗柄毛冷蕨 (H, V, M)
40. *Dictyodroma formosana* (Rosenst.) Ching 假腸蕨 (H, V, M)
41. *Diplaziosis javanica* (Blume) C. Chr. 腸蕨 (H, V, M)
42. *Diplazium amamianum* Tagawa 奄美雙蓋蕨 (H, V, C)
43. *Diplazium dilatatum* Blume 廣葉鋸齒雙蓋蕨 (H, V, C)
44. *Diplazium doederleinii* (Luerss.) Makino 德氏雙蓋蕨 (H, V, C)
45. *Diplazium esculentum* (Retz.) Sw. 過溝菜蕨 (H, V, C)
46. *Diplazium kawakamii* Hayata 川上氏雙蓋蕨 (H, V, C)
47. *Diplazium kawakamii* Hayata var. *subglabratum* Tagawa 亞光滑川上氏雙蓋蕨 (S, V, M)
48. *Diplazium petri* Tard.-Blot 廣葉深山雙蓋蕨 (H, V, C)
49. *Diplazium pseudo-doederleinii* Hayata 擬德氏雙蓋蕨 (H, E, M)
50. *Diplazium subsinuatum* (Wall. ex Hook. & Grev.) Tagawa 單葉雙蓋蕨 (H, V, C)
51. *Diplazium virescens* Kunze var. *okinawaense* (Tagawa) Kurata 琉球雙蓋蕨 (H, V, M)
52. *Dryothyrium boryanum* (Willd.) Ching 南洋假鱗毛蕨 (H, V, C)
5. Blechnaceae 烏毛蕨科
53. *Blechnum orientale* L. 烏毛蕨 (H, V, C)
54. *Woodwardia orientalis* Sw. 東方狗脊蕨 (H, V, C)
55. *Woodwardia unigemmata* (Makino) Nakai 頂芽狗脊蕨 (H, V, C)
6. Cyatheaceae 桫欏科
56. *Alsophila metteniana* Hance 臺灣樹蕨 (T, V, M)
57. *Alsophila spinulosa* (Hook.) Tryon 臺灣桫欏 (T, V, C)
58. *Sphaeropteris lepifera* (Hook.) Tryon 筆筒樹 (T, V, C)
7. Davalliaceae 骨碎補科
59. *Davallia divaricata* Blume 大葉骨碎補 (H, V, M)
60. *Davallia mariesii* Moore ex Bak. 海州骨碎補 (H, V, C)
61. *Humata chrysanthemifolia* (Hayata) Hayata 阿里山陰石蕨 (H, V, M)
62. *Leucostegia immersa* (Wall.) Presl 大膜蓋蕨 (H, V, C)
8. Dennstaedtiaceae 碗蕨科
63. *Dennstaedtia scabra* (Wall.) Moore 碗蕨 (H, V, C)
64. *Dennstaedtia scandens* (Blume) Moore 刺柄碗蕨 (H, V, C)
65. *Histiopteris incisa* (Thunb.) J. Sm. 粟蕨 (H, V, C)

66. *Hypolepis punctata* (Thunb.) Merr. 姬蕨 (H, V, C)
67. *Hypolepis tenuifolia* (Forst.) Bernh. 細葉姬蕨 (H, V, C)
68. *Microlepia marginata* (Panzer) C. Chr. 邊緣鱗蓋蕨 (H, V, C)
69. *Microlepia obtusiloba* Hayata 團羽鱗蓋蕨 (H, V, C)
70. *Microlepia speluncae* (L.) Moore 熱帶鱗蓋蕨 (H, V, C)
71. *Microlepia strigosa* (Thunb.) Presl 粗毛鱗蓋蕨 (H, V, C)
72. *Microlepia substrigosa* Tagawa 亞粗毛鱗蓋蕨 (H, V, M)
73. *Microlepia trapeziformis* (Roxb.) Kuhn 針毛鱗蓋蕨 (H, V, R)
74. *Microlepia trichocarpa* Hayata 毛果鱗蓋蕨 (H, E, R)
75. *Microlepia trichosora* Ching 毛苞鱗蓋蕨 (H, V, M)
76. *Monachosorum henryi* Christ 稀子蕨 (H, V, C)
77. *Pteridium aquilinum* (L.) Kuhn ssp. *latiusculum* (Desv.) Shieh 蕨 (H, V, C)
78. *Pteridium aquilinum* (L.) Kuhn ssp. *wightianum* (Wall.) Shieh 巒大蕨 (H, V, C)

9. Dicksoniaceae 蚌殼蕨科

79. *Cibotium taiwanense* Kuo 臺灣金狗毛蕨 (H, V, C)

10. Dryopteridaceae 鱗毛蕨科

80. *Acrophorus stipellatus* (Wall.) Moore 魚鱗蕨 (H, V, C)
81. *Acrorumohra diffracta* (Bak.) H. Ito 彎柄假複葉耳蕨 (H, V, R)
82. *Acrorumohra hasseltii* (Blume) Ching 假複葉耳蕨 (H, V, C)
83. *Acrorumohra subreflexipinna* (Ogata) H. Ito 微彎假複葉耳蕨 (H, E, R)
84. *Arachniodes festina* (Hance) Ching 臺灣兩面複葉耳蕨 (H, V, M)
85. *Arachniodes pseudo-aristata* (Tagawa) Ohwi 小葉複葉耳蕨 (H, V, C)
86. *Arachniodes rhomboides* (Wall.) Ching 斜方複葉耳蕨 (H, V, C)
87. *Cyrtomium falcatum* (L. f.) Presl 全緣貫眾蕨 (H, V, C)
88. *Dryopteris atrata* (Wall.) Ching 紗櫛鱗毛蕨 (H, V, C)
89. *Dryopteris formosana* (Christ) C. Chr. 臺灣鱗毛蕨 (H, V, C)
90. *Dryopteris marginata* (Wall.) Christ 三角葉鱗毛蕨 (H, V, R)
91. *Dryopteris polita* Rosenst. 臺東鱗毛蕨 (H, V, C)
92. *Dryopteris scottii* (Bedd.) Ching 史氏鱗毛蕨 (H, V, C)
93. *Dryopteris sparsa* (Don) Ktze. 長葉鱗毛蕨 (H, V, C)
94. *Dryopteris varia* (L.) Ktze. 南海鱗毛蕨 (H, V, M)
95. *Dryopteris wallichiana* (Sprengel) Alston & Bonner 瓦氏鱗毛蕨 (H, V, C)
96. *Polystichum biaristatum* (Blume) Moore 二尖耳蕨 (H, V, M)
97. *Polystichum falcatipinnum* Hayata 鑷葉耳蕨 (H, E, M)
98. *Polystichum formosanum* Rosenst. 臺灣耳蕨 (H, V, M)
99. *Polystichum hancockii* (Hance) Diels 韓氏耳蕨 (H, V, C)
100. *Polystichum parvipinnulum* Tagawa 尖葉耳蕨 (H, E, M)

11. Equisetaceae 木賊科

101. *Equisetum ramosissimum* Desf. 木賊 (H, V, C)
12. Gleicheniaceae 裏白科
102. *Dicranopteris linearis* (Burm. f.) Under. 芒萁 (H, V, C)
103. *Dicranopteris linearis* (Burm. f.) Under. var. *tetraphylla* (Rosenst.) Nakai 蔓芒萁 (H, V, M)
104. *Diplopterygium blotianum* (C. Chr.) Nakai 逆羽裏白 (H, V, M)
105. *Diplopterygium glaucum* (Houtt.) Nakai 裏白 (H, V, C)
13. Grammitidaceae 禾葉蕨科
106. *Ctenopteris curtisii* (Bak.) Tagawa 蒿蕨 (H, V, M)
107. *Prosaptia contigua* (Forst.) Presl 穴子蕨 (H, V, M)
14. Hymenophyllaceae 膜蕨科
108. *Crepidomanes bilabiatum* (Nees & Blume) Copel. 圓唇假脈蕨 (H, V, M)
109. *Crepidomanes palmifolium* (Hayata) DeVol 變葉假脈蕨 (H, E, R)
110. *Hymenophyllum barbatum* (v. d. Bosch) Bak. 華東膜蕨 (H, V, M)
111. *Mecodium polyanthos* (Sw.) Copel. 細葉落蕨 (H, V, C)
112. *Vandenboschia auriculata* (Blume) Copel. 瓶蕨 (H, V, C)
113. *Vandenboschia orientalis* (C. Chr.) Ching 華東瓶蕨 (H, V, M)
15. Lindsaeaceae 陵齒蕨科
114. *Lindsaea odorata* Roxb. 陵齒蕨 (H, V, C)
115. *Sphenomeris chusana* (L.) Copel. 烏蕨 (H, V, C)
16. Lomariopsidaceae 羅蔓藤蕨科
116. *Bolbitis contaminans* (Wall.) Ching 細葉實蕨 (H, V, M)
117. *Egenolfia appendiculata* (Willd.) J. Sm. 刺蕨 (H, V, C)
118. *Elaphoglossum angulatum* (Blume) Moore 爪哇舌蕨 (H, V, M)
119. *Elaphoglossum conforme* (Sw.) Schott 阿里山舌蕨 (H, V, M)
17. Lycopodiaceae 石松科
120. *Huperzia serrata* (Thunb. ex Murray) Trevisan var. *myriophyllifolium* (Hayata) H. -M. Chang
阿里山千層塔 (H, V, R)
121. *Lycopodium cernuum* L. 過山龍 (H, V, C)
122. *Lycopodium clavatum* L. 石松 (H, V, C)
123. *Lycopodium fargesii* Hert. 銳葉石松 (H, V, R)
124. *Lycopodium hamiltonii* Spring 福氏石松 (H, V, M)
18. Marattiaceae 觀音座蓮科
125. *Angiopteris lygodiifolia* Rosenst. 觀音座蓮 (H, V, C)
19. Oleandraceae 蓀蕨科
126. *Arthropteris palisotii* (Desv.) Alston 藤蕨 (H, V, C)
127. *Nephrolepis auriculata* (L.) Trimen 腎蕨 (H, V, C)
128. *Nephrolepis biserrata* (Sw.) Schott 長葉腎蕨 (H, V, C)
129. *Oleandra wallichii* (Hook.) Presl 蓀蕨 (H, V, M)

20. Ophioglossaceae 瓶爾小草科

130. *Botrychium lanuginosum* (Wall.) Hook. & Grev. 阿里山蕨 (H, V, R)

131. *Ophioderma pendula* (L.) Presl 帶狀瓶爾小草 (H, V, M)

21. Osmundaceae 紫萁科

132. *Osmunda banksiaefolia* (Pr.) Kuhn 粗齒革葉紫萁 (H, V, C)

22. Plagiogyriaceae 瘤足蕨科

133. *Plagiogyria adnata* (Blume) Bedd. 瘤足蕨 (H, V, M)

134. *Plagiogyria dunnii* Copel. 倒葉瘤足蕨 (H, V, C)

135. *Plagiogyria euphlebia* (Kunze) Mett. 華中瘤足蕨 (H, V, C)

136. *Plagiogyria stenoptera* (Hance) Diels 耳形瘤足蕨 (H, V, C)

23. Polypodiaceae 水龍骨科

137. *Arthromeris lehmanni* (Mett.) Ching 肢節蕨 (H, V, C)

138. *Belvisia mucronata* (Fee) Copel. 尖嘴蕨 (H, V, R)

139. *Colysis elliptica* (Thunb.) Ching 橢圓線蕨 (H, V, C)

140. *Colysis hemionitidea* (Wall.) Presl 斷線蕨 (H, V, M)

141. *Colysis wrightii* Ching 萊氏線蕨 (H, V, C)

142. *Crypsinus echinosporus* (Tagawa) Tagawa 大葉玉山蕨 (H, E, M)

143. *Crypsinus engleri* (Luer) Copel. 恩氏蕨 (H, V, M)

144. *Crypsinus hastatus* (Thunb.) Copel. 三葉蕨 (H, V, C)

145. *Goniophlebium argutum* (Wall.) J. Sm. 擬水龍骨 (H, V, C)

146. *Lemmaphyllum microphyllum* Presl 伏石蕨 (H, V, C)

147. *Lepidogrammitis rostrata* (Beddome) Ching 骨牌蕨 (H, V, C)

148. *Lepisorus monilisorus* (Hayata) Tagawa 擬笈瓦蕨 (H, E, C)

149. *Lepisorus pseudo-ussuriensis* Tagawa 擬烏蘇里瓦蕨 (H, E, M)

150. *Lepisorus thunbergianus* (Kaulf.) Ching 瓦蕨 (H, V, M)

151. *Lepisorus tosaensis* (Makino) H. Ito 擬瓦蕨 (H, V, M)

152. *Leptochilus decurrens* Blume 萊蕨 (H, V, C)

153. *Loxogramme salicifolia* (Makino) Makino 柳葉劍蕨 (H, V, M)

154. *Microsorium buergerianum* (Miq.) Ching 波氏星蕨 (H, V, C)

155. *Microsorium dilatatum* (Beddome) Sledge 箭葉星蕨 (H, V, M)

156. *Microsorium henryi* (Christ) Kuo 大星蕨 (H, V, C)

157. *Microsorium membranaceum* (Don) Ching 膜葉星蕨 (H, V, M)

158. *Polypodium formosanum* Bak. 臺灣水龍骨 (H, V, C)

159. *Polypodium raishanense* Rosenst. 大葉水龍骨 (H, V, C)

160. *Polypodium transpianense* Yamamoto 疏毛水龍骨 (H, E, M)

161. *Pseudodrynaria coronans* (Mett.) Ching 崖薑蕨 (H, V, C)

162. *Pyrrosia lingua* (Thunb.) Farw. 石蕨 (H, V, C)

163. *Pyrrosia polydactylis* (Hance) Ching 槭葉石蕨 (H, E, M)

164. *Pyrrhosia sheareri* (Bak.) Ching 廬山石葦 (H, V, C)
24. Psilotaceae 松葉蕨科
165. *Psilotum nudum* (L.) Beave. 松葉蕨 (H, V, C)
25. Pteridaceae 鳳尾蕨科
166. *Onychium contiguum* (Wall.) Hope 高山金粉蕨 (H, V, M)
167. *Onychium japonicum* (Thunb.) Kunze 日本金粉蕨 (H, V, C)
168. *Pteris biaurita* L. 弧脈鳳尾蕨 (H, V, M)
169. *Pteris cretica* L. 大葉鳳尾蕨 (H, V, C)
170. *Pteris ensiformis* Burm. 箭葉鳳尾蕨 (H, V, C)
171. *Pteris fauriei* Hieron. 傅氏鳳尾蕨 (H, V, C)
172. *Pteris linearis* Poir. 三角脈鳳尾蕨 (H, V, M)
173. *Pteris multifida* Poir. 鳳尾蕨 (H, V, C)
174. *Pteris scabristipes* Tagawa 紅柄鳳尾蕨 (H, E, R)
175. *Pteris semipinnata* L. 半邊羽裂鳳尾蕨 (H, V, C)
176. *Pteris setulosocostulata* Hayata 有刺鳳尾蕨 (H, V, M)
177. *Pteris tokioi* Masamune 鈴木氏鳳尾蕨 (H, V, M)
178. *Pteris vittata* L. 鱗蓋鳳尾蕨 (H, V, C)
179. *Pteris wallichiana* Ag. 瓦氏鳳尾蕨 (H, V, C)
26. Schizaeaceae 海金沙科
180. *Lygodium japonicum* (Thunb.) Sw. 海金沙 (H, V, C)
27. Selaginellaceae 卷柏科
181. *Selaginella delicatula* (Desv.) Alston 全緣卷柏 (H, V, C)
182. *Selaginella doederleinii* Hieron. 生根卷柏 (H, V, C)
183. *Selaginella involvens* (Sw.) Spring 密葉卷柏 (H, V, M)
184. *Selaginella labordei* Hieron. ex Christ 玉山卷柏 (H, V, C)
185. *Selaginella mollendorffii* Hieron. 異葉卷柏 (H, V, C)
186. *Selaginella nipponica* Fr. & Sav. 日本卷柏 (H, V, R)
187. *Selaginella remotifolia* Spring 疏葉卷柏 (H, V, C)
28. Thelypteridaceae 金星蕨科
188. *Christella dentata* (Forsk.) Brownsey & Jermy 野小毛蕨 (H, V, C)
189. *Christella papilio* (Hope) Holtt. 縮羽小毛蕨 (H, V, M)
190. *Christella parasitica* (L.) Lev. 密毛小毛蕨 (H, V, C)
191. *Christella subarida* (Tatew. & Tagawa) Holtt. 小密腺小毛蕨 (H, V, M)
192. *Dictyocline griffithii* Moore 聖蕨 (H, V, M)
193. *Dictyocline griffithii* Moore var. *wilfordii* (Hook.) Moore 威氏聖蕨 (H, V, C)
194. *Glaphyopteridopsis erubescens* (Hook.) Ching 方桿蕨 (H, V, M)
195. *Metathelypteris gracilescens* (Blume) Ching 光葉凸軸蕨 (H, V, M)
196. *Metathelypteris uraiensis* (Rosenst.) Ching 毛柄凸軸蕨 (H, E, M)

197. *Parathelypteris beddomei* (Bak.) Ching 縮羽金星蕨 (H, V, C)
 198. *Phegopteris decursive-pinnata* (van Hall) Fee 短柄卵果蕨 (H, V, C)
 199. *Pneumatopteris truncata* (Poir.) Holtt. 稀毛蕨 (H, V, C)
 200. *Pseudocyclosorus esquirolii* (Christ) Ching 假毛蕨 (H, V, C)
 201. *Pseudophegopteris hirtirachis* (C. Chr.) Holtt. 毛囊紫柄蕨 (H, V, M)
 202. *Pseudophegopteris subaurita* (Tagawa) Ching 光囊紫柄蕨 (H, V, C)
 203. *Sphaerostephanos taiwanensis* (C. Chr.) Holtt. 臺灣圓腺蕨 (H, V, C)

29. Vittariaceae 書帶蕨科

204. *Antrophyum formosanum* Hieron. 臺灣車前蕨 (H, V, C)
 205. *Antrophyum obovatum* Bak. 車前蕨 (H, V, M)
 206. *Vaginularia paradoxa* (Fee) Mett. 連抱一條線蕨 (H, V, R)
 207. *Vittaria flexuosa* Fee 書帶蕨 (H, V, M)
 208. *Vittaria zosterifolia* Willd. 垂葉書帶蕨 (H, V, C)

2. Gymnosperms 裸子植物

30. Amentotaxaceae 穗花杉科

209. *Amentotaxus formosana* Li 臺灣穗花杉 (T, E, E)

31. Araucariaceae 南洋杉科

210. *Araucaria columnaris* (Forster) Hook. 庫式南洋杉 (, ,)
 211. *Araucaria excelsa* (Lamb.) R. Br. 小葉南洋杉 (T, D, C)

32. Cephalotaxaceae 粗榧科

212. *Cephalotaxus wilsoniana* Hayata 臺灣粗榧 (T, E, R)

33. Cupressaceae 柏科

213. *Callitris rhomboidea* R.Br. 澳洲柏 (T, D, M)
 214. *Calocedrus formosana* (Florin) Florin 臺灣肖楠 (T, E, M)
 215. *Chamaecyparis formosensis* Matsum. 紅檜 (T, E, M)
 216. *Chamaecyparis obtusa* Sieb. & Zucc. 日本扁柏 (T, D, M)
 217. *Chamaecyparis obtusa* Sieb. & Zucc. var. *formosana* (Hayata) Rehder 臺灣扁柏 (T, E, M)
 218. *Cupressus funerbris* Endl. 柏木 (, ,)
 219. *Juniperus chinensis* L. var. *tsukusiensis* Masamune 清水圓柏 (T, V, R)
 220. *Juniperus formosana* Hayata 刺柏 (T, V, C)

34. Cycadaceae 蘇鐵科

221. *Cycas revoluta* Thunb. 蘇鐵 (S, D, C)
 222. *Cycas taitungensis* C. F. Shen, K. D. Hill, C. H. Tsou & C. J. Chen 臺灣蘇鐵 (S, E, R)

35. Ginkgoaceae 銀杏科

223. *Ginkgo biloba* L. 銀杏 (T, D, C)

36. Pinaceae 松科

224. *Abies firma* Sieb. et Zucc. 日本冷杉 (, ,)
 225. *Abies kawakamii* (Hayata) Ito 臺灣冷杉 (T, E, C)

226. *Cedrus deodara* (D. Don.) G. Don. 雪松 (T, D, C)
 227. *Keteleeria davidiana* (Franchet) Beissner var. *formosana* Hayata 臺灣油杉 (T, E, E)
 228. *Picea morrisonicola* Hayata 臺灣雲杉 (T, E, M)
 229. *Pinus armandii* Franchet var. *masteriana* Hayata 臺灣華山松 (T, E, C)
 230. *Pinus morrisonicola* Hayata 臺灣五葉松 (T, E, C)
 231. *Pinus taiwanensis* Hayata 臺灣二葉松 (T, E, C)
 232. *Pinus thunbergii* Parl. 黑松 (T, D, C)
 233. *Pseudolarix kaempferi* Gord. 金錢松 (, ,)
 234. *Pseudotsuga wilsoniana* Hayata 臺灣黃杉 (T, E, R)
 235. *Tsuga chinensis* (Franch.) Pritz. ex Diels var. *formosana* (Hayata) Li & Keng 臺灣鐵杉 (T, E, C)

37. Podocarpaceae 羅漢松科

236. *Nageia nagi* (Thunb.) O. Ktze. 竹柏 (T, V, M)
 237. *Podocarpus costalis* Presl 蘭嶼羅漢松 (T, V, R)
 238. *Podocarpus fasciculus* de Laub. 叢花百日青 (T, E, R)
 239. *Podocarpus macrophyllus* (Thunb.) Sweet var. *maki* Sieb. & Zucc. 小葉羅漢松 (T, V, R)
 240. *Podocarpus nakaii* Hayata 百日青 (T, E, R)

38. Taxaceae 紅豆杉科

241. *Taxus sumatrana* (Miq.) de Laub. 臺灣紅豆杉 (T, V, R)

39. Taxodiaceae 杉科

242. *Cryptomeria japonica* (L. f.) D. Don 柳杉 (T, D, C)
 243. *Cunninghamia konishii* Hayata 巒大杉 (T, E, R)
 244. *Cunninghamia lanceolata* (Lamb.) Hook. 杉木 (T, D, C)
 245. *Metasequoia glyptostroboides* Hu & Cheng 水杉 (T, D, C)
 246. *Sequoia sempervirens* Endl. 長葉世界爺 (, ,)
 247. *Taiwania cryptomerioides* Hayata 臺灣杉 (T, V, R)
 248. *Taxodium ascendens* Brongn. 池杉 (, ,)
 249. *Taxodium distichum* (L.) Rich. 落羽杉 (T, D, C)

3. Dicotyledons 雙子葉植物

40. Acanthaceae 爵床科

250. *Asystasiella neesiana* (Nees) Lindau 尼氏擬馬偕花 (H, V, R)
 251. *Rungia taiwanensis* Yamazaki 臺灣明萼草 (H, E, C)
 252. *Strobilanthes flexicaulis* Hayata 曲莖馬藍 (H, E, C)
 253. *Strobilanthes formosanus* Moore 臺灣馬藍 (H, E, M)
 254. *Strobilanthes penstemonoides* T. Anders. 腺萼馬藍 (H, V, M)

41. Aceraceae 槭樹科

255. *Acer albopurpurascens* Hayata 樟葉槭 (T, E, C)
 256. *Acer serrulatum* Hayata 青楓 (T, E, C)

42. Actinidiaceae 獼猴桃科

257. *Actinidia callosa* Lindl. 硬齒獼猴桃 (C, V, C)
258. *Actinidia chinensis* Planch. var. *setosa* Li 臺灣羊桃 (C, E, C)
259. *Actinidia latifolia* (Gardn. & Champ.) Merr. 闊葉獼猴桃 (C, V, C)
260. *Saurauja tristyla* DC. var. *oldhamii* (Hemsl.) Finet & Gagnep. 水冬瓜 (T, V, C)

43. Amaranthaceae 莧科

261. *Achyranthes aspera* L. var. *rubro-fusca* Hook. f. 紫莖牛膝 (H, V, C)
262. *Celosia argentea* L. 青葙 (H, V, C)
263. *Iresine herbstii* Hook. f. 圓葉紅莧 (H, D, M)

44. Anacardiaceae 漆樹科

264. *Pistacia chinensis* Bunge 黃連木 (T, V, C)
265. *Rhus javanica* L. var. *roxburghiana* (DC.) Rehd. & Wilson 羅氏鹽膚木 (T, V, C)
266. *Rhus succedanea* L. 山漆 (T, V, C)

45. Apiaceae 繖形花科

267. *Cryptotaenia japonica* Hassk. 鴨兒芹 (H, V, C)

46. Apocynaceae 夾竹桃科

268. *Ecdysanthera rosea* Hook. & Arn. 酸藤 (C, V, C)
269. *Trachelospermum formosanum* Liu & Ou 臺灣絡石 (C, E, C)
270. *Trachelospermum gracilipes* Hook. f. 細梗絡石 (C, V, M)

47. Aquifoliaceae 冬青科

271. *Ilex arisanensis* Yamamoto 阿里山冬青 (T, E, R)
272. *Ilex asprella* (Hook. & Arn.) Champ. 燈檉花 (S, V, C)
273. *Ilex goshiensis* Hayata 圓葉冬青 (T, V, C)
274. *Ilex hayataiana* Loes. 早田氏冬青 (T, E, M)
275. *Ilex pubescens* Hook. & Arn. 密毛冬青 (T, V, M)

48. Araliaceae 五加科

276. *Aralia bipinnata* Blanco 裏白蔥木 (T, V, C)
277. *Aralia decaisneana* Hance 刺蔥 (S, V, C)
278. *Dendropanax pellicidopunctata* (Hayata) Kanehira ex Kanehira & Hatusima 臺灣樹參 (T, V, C)
279. *Eleutherococcus trifolius* (L.) S. Y. Hu 三葉五加 (C, V, C)
280. *Fatsia polycarpa* Hayata 臺灣八角金盤 (T, E, C)
281. *Hedera rhombea* (Miq.) Bean var. *formosana* (Nakai) Li 臺灣常春藤 (C, E, M)
282. *Pentapanax castanopsicola* Hayata 臺灣五葉參 (S, E, R)
283. *Schefflera arboricola* Hayata 鵝掌藤 (S, V, C)
284. *Schefflera octophylla* (Lour.) Harms 鵝掌柴 (T, V, C)
285. *Tetrapanax papyriferus* (Hook.) K. Koch 通草 (T, V, C)

49. Aristolochiaceae 馬兜鈴科

286. *Aristolochia cucurbitifolia* Hayata 瓜葉馬兜鈴 (C, E, M)
287. *Asarum caudigerum* Hance 薄葉細辛 (H, V, M)
288. *Asarum macranthum* Hook. f. 大花細辛 (H, E, C)
50. Asclepiadaceae 蘿藦科
289. *Dischidia formosana* Maxim. 風不動 (C, E, C)
290. *Heterostemma brownii* Hayata 布朗藤 (C, E, R)
291. *Hoya carnosa* (L. f.) R. Br. 絨蘭 (C, V, C)
292. *Marsdenia formosana* Masamune 臺灣牛爛菜 (S, V, C)
51. Asteraceae 菊科
293. *Adenostemma lavenia* (L.) Ktze. 下田菊 (H, V, C)
294. *Ainsliaea latifolia* (D. Don) Sch. Bip. ssp. *henryi* (Diels) H. Koyama 臺灣鬼督郵 (H, V, M)
295. *Bidens pilosa* L. var. *radiata* Sch. 大花咸豐草 (H, R, C)
296. *Blumea lanceolaria* (Roxb.) Druce 走馬胎 (H, V, C)
297. *Blumea riparia* (Blume) DC. var. *megacephala* Randeria 大頭艾納香 (H, V, C)
298. *Conyza canadensis* (L.) Cronq. 加拿大蓬 (H, R, C)
299. *Crassocephalum crepidioides* (Benth.) S. Moore 昭和草 (H, R, C)
300. *Eupatorium cannabinum* L. ssp. *asiaticum* Kitam. 臺灣澤蘭 (H, E, C)
301. *Ixeridium laevigatum* (Blume) J. H. Pak & Kawano 刀傷草 (H, V, C)
302. *Ixeris chinensis* (Thunb.) Nakai 兔仔菜 (H, V, C)
303. *Mikania cordata* (Burm. f.) B. L. Rob. 蔓澤蘭 (C, V, C)
304. *Mikania micrantha* Kunth 小花蔓澤蘭 (C, R, C)
305. *Pseudelephantopus spicatus* (Juss.) C. F. Baker 假地膽草 (H, R, M)
306. *Senecio scandens* Buch. -Ham. ex D. Don 蔓黃菀 (C, V, C)
307. *Siegesbeckia orientalis* L. 豨薟 (H, V, C)
308. *Soliva anthemifolia* R. Br. 假吐金菊 (H, R, C)
309. *Sonchus arvensis* L. 苦苣菜 (H, V, C)
310. *Sonchus oleraceus* L. 苦蕒菜 (H, V, C)
311. *Tithonia diversifolia* (Hemsl.) A. Gray 王爺葵 (S, D, C)
312. *Vernonia cinerea* (L.) Less. 一枝香 (H, V, C)
313. *Vernonia gratiosa* Hance 過山龍 (S, E, M)
314. *Youngia japonica* (L.) DC. 黃鵪菜 (H, V, C)
52. Balanophoraceae 蛇菰科
315. *Balanophora laxiflora* Hemsl. ex Forbes & Hemsl. 穗花蛇菰 (H, V, C)
53. Balsaminaceae 鳳仙花科
316. *Impatiens uniflora* Hayata 紫花鳳仙花 (H, E, C)
317. *Impatiens walleriana* Hook. f. 非洲鳳仙花 (H, D, C)
54. Begoniaceae 秋海棠科
318. *Begonia aptera* Blume 圓果秋海棠 (H, V, M)

319. *Begonia buimontana* Yamamoto 武威山秋海棠 (H, E, M)
320. *Begonia chitoensis* Liu & Lai 溪頭秋海棠 (H, E, M)
321. *Begonia laciniata* Roxb. 巒大秋海棠 (H, V, C)
322. *Begonia lukuana* Liu & Ou 鹿谷秋海棠 (H, E, R)
323. *Begonia nantoensis* Lai & Chung 南投秋海棠 (H, E, M)
324. *Begonia ravenii* Peng & Chen 岩生秋海棠 (H, E, M)
325. *Begonia taiwaniana* Hayata 臺灣秋海棠 (H, E, M)
55. Berberidaceae 小檗科
326. *Dysosma pleiantha* (Hance) Woodson 八角蓮 (H, V, R)
327. *Mahonia fortunei* Fedde 細葉十大功勞 (T, D, M)
328. *Mahonia japonica* (Thunb.) DC. 十大功勞 (S, V, R)
329. *Mahonia oiwakensis* Hayata 阿里山十大功勞 (S, E, R)
330. *Nandina domestica* Thunb. 南天竹 (S, D, C)
56. Betulaceae 樺木科
331. *Alnus formosana* (Burkill ex Forbes & Hemsl.) Makino 臺灣赤楊 (T, V, C)
332. *Carpinus rankanensis* Hayata 蘭邯千金榆 (T, E, M)
57. Buxaceae 黃楊科
333. *Buxus microphylla* Sieb. & Zucc. ssp. *sinica* (Rehd. & Wils.) Hatusima 臺灣黃楊 (S, V, M)
58. Campanulaceae 桔梗科
334. *Codonopsis javanica* (Blume) Miq. ssp. *japonica* (Maxim. ex Makino) Lammers 金錢豹 (H, V, C)
335. *Cyclocodon lancifolia* (Roxb.) Kurz. 臺灣土黨參 (H, V, C)
336. *Lobelia chinensis* Lour. 半邊蓮 (H, V, C)
337. *Lobelia nummularia* Lam. 普刺特草 (H, V, C)
338. *Lobelia zeylanica* L. 圓葉山梗菜 (H, V, C)
59. Capparidaceae 山柑科
339. *Capparis sabiaefolia* Hook. f. et Thoms. 毛瓣蝴蝶木 (S, V, M)
60. Caprifoliaceae 忍冬科
340. *Lonicera hypoglauca* Miq. 裏白忍冬 (S, V, M)
341. *Lonicera japonica* Thunb. 金銀花 (C, V, M)
342. *Sambucus chinensis* Lindl. 有骨消 (H, E, C)
343. *Viburnum arboricolum* Hay. 著生珊瑚樹 (S, V, C)
344. *Viburnum foetidum* Wall. var. *rectangulatum* (Graebner) Rehder 狹葉莢迷 (S, V, C)
345. *Viburnum formosanum* Hayata 紅子莢迷 (T, V, C)
346. *Viburnum luzonicum* Rolfe 呂宋莢迷 (T, V, C)
347. *Viburnum odoratissimum* Ker 珊瑚樹 (T, V, R)
348. *Viburnum taitoense* Hayata 臺東莢迷 (T, E, M)
61. Caryophyllaceae 石竹科

349. *Drymaria diandra* Blume 菁芳草 (H, V, C)
350. *Stellaria aquatica* (L.) Scop. 鵝兒腸 (H, V, C)
62. Casuarinaceae 木麻黃科
351. *Casuarina equisetifolia* L. 木麻黃 (T, D, C)
63. Celastraceae 衛矛科
352. *Celastrus kusanoi* Hayata 大葉南蛇藤 (C, V, M)
353. *Euonymus laxiflorus* Champ. ex Benth. 大丁黃 (S, V, M)
354. *Euonymus spraguei* Hayata 刺果衛矛 (S, E, C)
355. *Microtropis fokienensis* Dunn 福建賽衛矛 (S, V, C)
356. *Perrottetia arisanensis* Hayata 佩羅特木 (T, E, C)
64. Chloranthaceae 金粟蘭科
357. *Chloranthus oldhami* Solms. 臺灣及己 (H, V, C)
358. *Chloranthus spicatus* (Thunb.) Makino 金粟蘭 (S, D, C)
359. *Sarcandra glabra* (Thunb.) Nakai 紅果金粟蘭 (S, V, M)
65. Cornaceae 山茱萸科
360. *Aucuba chinensis* Benth. 桃葉珊瑚 (S, V, M)
361. *Aucuba chinensis* Benth. var. *fongfangshanensis* Liao et al. 鳳凰山珊瑚 (S, ,)
362. *Benthamidia japonica* (Sieb. & Zucc.) Hara var. *chinensis* (Osborn) Hara 四照花 (T, V, R)
363. *Helwingia japonica* (Thunb.) Dietr. ssp. *formosana* (Kanehira & Sasaki) Hara & Kurosawa
臺灣青莢葉 (S, V, M)
66. Crassulaceae 景天科
364. *Sedum bulbiferum* Makino 珠芽佛甲草 (H, R, R)
67. Cucurbitaceae 瓜科
365. *Gynostemma pentaphyllum* (Thunb.) Makino 絞股藍 (C, V, C)
366. *Momordica charantia* L. var. *abbreviata* Ser. 短角苦瓜 (C, R, C)
367. *Sechium edule* Sw. 佛手瓜 (C, D, C)
368. *Thladiantha nudiflora* Hemsl. ex Forb. & Hemsl. 青牛膽 (C, V, C)
369. *Thladiantha punctata* Hayata 斑花青牛膽 (C, V, C)
370. *Trichosanthes homophylla* Hayata 芋葉括樓 (C, V, M)
68. Daphniphyllaceae 虎皮楠科
371. *Daphniphyllum glaucescens* Bl. ssp. *oldhamii* (Hemsl.) Huang 奧氏虎皮楠 (T, V, C)
69. Ebenaceae 柿樹科
372. *Diospyros eriantha* Champ. ex Benth. 軟毛柿 (T, V, C)
373. *Diospyros kaki* Thunb. 柿 (T, D, C)
374. *Diospyros morrisiana* Hance 山紅柿 (T, V, C)
70. Elaeagnaceae 胡頹子科
375. *Elaeagnus glabra* Thunb. 藤胡頹子 (S, V, C)
376. *Elaeagnus thunbergii* Serv. 鄧氏胡頹子 (S, E, C)

71. Elaeocarpaceae 杜英科

377. *Elaeocarpus japonicus* Sieb. & Zucc. 薯豆 (T, V, C)

378. *Elaeocarpus sylvestris* (Lour.) Poir. 杜英 (T, V, C)

379. *Sloanea formosana* Li 猴歡喜 (T, E, C)

72. Ericaceae 杜鵑花科

380. *Lyonia ovalifolia* (Wall.) Drude 南燭 (T, V, C)

381. *Pieris taiwanensis* Hayata 臺灣馬醉木 (T, E, C)

382. *Rhododendron formosanum* Hemsl. 臺灣杜鵑 (T, E, C)

383. *Rhododendron kawakamii* Hayata 著生杜鵑 (S, E, R)

384. *Rhododendron latoucheae* Fr. 西施花 (T, V, C)

385. *Vaccinium dunalianum* Wight var. *caudatifolium* (Hayata) Li 珍珠花 (T, E, C)

386. *Vaccinium emarginatum* Hayata 凹葉越橘 (S, E, C)

387. *Vaccinium wrightii* Gray 大葉越橘 (T, V, M)

73. Euphorbiaceae 大戟科

388. *Aleurites fordii* Hemsl. 油桐 (T, D, C)

389. *Aleurites montana* (Lour.) P. Wilson 廣東油桐 (T, D, C)

390. *Bischofia javanica* Blume 茄苳 (T, V, C)

391. *Breynia officinalis* Hemsl. 紅仔珠 (S, V, C)

392. *Bridelia balansae* Tutch. 刺杜密 (T, V, C)

393. *Bridelia tomentosa* Blume 土蜜樹 (T, V, C)

394. *Euphorbia milii* Ch. des Moulins 麒麟花 (S, D, C)

395. *Euphorbia pulcherrima* Willd. ex Klotzsch 聖誕紅 (S, D, C)

396. *Excoecaria cochichinensis* Lour. 紅背桂 (S, D, C)

397. *Glochidion philippicum* (Cav.) C. B. Rob. 菲律賓饅頭果 (T, V, C)

398. *Glochidion puberum* (L.) Hutchinson 紅毛饅頭果 (T, V, M)

399. *Glochidion rubrum* Blume 細葉饅頭果 (T, V, C)

400. *Jatropha curcas* L. 麻瘋樹 (S, D, M)

401. *Macaranga tanarius* (L.) Muell.-Arg. 血桐 (T, V, C)

402. *Mallotus japonicus* (Thunb.) Muell. -Arg. 野桐 (T, V, C)

403. *Mallotus philippensis* (Lam.) Muell. -Arg. 粗糠柴 (T, V, C)

404. *Melanolepis multiglandulosa* (Reinw.) Reich. f. & Zoll. 蟲屎 (T, V, C)

405. *Ricinus communis* L. 蓖麻 (S, R, C)

406. *Sapium discolor* Muell.-Arg. 白白 (T, V, C)

407. *Sapium sebiferum* (L.) Roxb. 烏白 (T, V, C)

74. Fabaceae 豆科

408. *Acacia confusa* Merr. 相思樹 (T, V, C)

409. *Acacia merrillii* Nielsen 藤相思樹 (C, V, R)

410. *Bauhinia championii* Benth. 菊花木 (C, V, C)

411. *Desmodium caudatum* (Thunb. ex Murray) DC. 小槐花 (H, V, M)
412. *Desmodium gangeticum* (L.) DC. 大葉山螞蝗 (S, V, C)
413. *Millettia reticulata* Benth. 老荊藤 (S, V, C)
414. *Mucuna macrocarpa* Wall. 血藤 (C, V, C)
415. *Wisteria sinensis* (Sims.) Sweet. 紫藤 (C, D, M)
75. Fagaceae 殼斗科
416. *Castanea mollissima* Blume 板栗 (T, D, C)
417. *Castanopsis carlesii* (Hemsl.) Hayata 長尾栲 (T, V, C)
418. *Castanopsis carlesii* (Hemsl.) Hayata var. *sessilis* Nakai 白校欖 (T, E, C)
419. *Castanopsis indica* (Roxb.) A. DC. 印度栲 (T, V, C)
420. *Cyclobalanopsis gilva* (Blume) Oerst. 赤皮 (T, V, C)
421. *Cyclobalanopsis glauca* (Thunb.) Oerst. 青剛欖 (T, V, C)
422. *Cyclobalanopsis longinux* (Hayata) Schott. 錐果欖 (T, V, C)
423. *Cyclobalanopsis morii* (Hayata) Schott. 森氏欖 (T, E, C)
424. *Cyclobalanopsis repandaefolia* (Liao) Liao 波葉欖 (T, E, R)
425. *Cyclobalanopsis stenophylloides* (Hayata) Kudo & Masamune ex Kudo 狹葉欖 (T, E, C)
426. *Lithocarpus lepidocarpus* (Hayata) Hayata 鬼石欖 (T, E, C)
427. *Pasania chiaratuangensis* (Liao) Liao 加拉段柯 (T, V, E)
428. *Pasania dodonaeifolia* Hayata 柳葉柯 (T, E, R)
429. *Pasania hancei* (Benth.) Schott. var. *ternaticupula* (Hay.) Liao 三斗石欖 (T, E, C)
430. *Pasania harlandii* (Hance) Oersted 短尾柯 (T, V, C)
431. *Pasania kawakamii* (Hayata) Schott. 大葉石欖 (T, E, C)
76. Gesneriaceae 苦苣苔科
432. *Aeschynanthus acuminatus* Wall. ex A. DC. 長果藤 (S, V, C)
433. *Conandron ramondioides* Sieb. & Zucc. 苦苣苔 (H, V, M)
434. *Hemiboea bicornuta* (Hayata) Ohwi 角桐草 (H, E, C)
435. *Lysionotus pauciflorus* Maxim. 臺灣石吊蘭 (S, E, C)
436. *Rhynchotechum discolor* (Maxim.) Burt 同蕊草 (S, V, C)
437. *Whytockia sasakii* (Hayata) Burt 玉玲花 (H, E, M)
77. Hamamelidaceae 金縷梅科
438. *Eustigma oblongifolium* Gardn. & Champ. 秀桂花 (T, V, R)
439. *Liquidambar formosana* Hance 楓香 (T, V, C)
78. Illiciaceae 八角茴香科
440. *Illicium anisatum* L. 白花八角 (T, V, C)
441. *Illicium arborescens* Hayata 紅花八角 (T, E, C)
79. Juglandaceae 胡桃科
442. *Engelhardtia roxburghiana* Wall. 黃杞 (T, V, C)
443. *Juglans cathayensis* Dode 臺灣胡桃 (T, V, C)

80. Lardizabalaceae 木通科

444. *Akebia longeracemosa* Matsum. 臺灣木通 (C, V, C)

445. *Stauntonia obovatifoliola* Hayata 石月 (C, V, C)

81. Lauraceae 樟科

446. *Beilschmiedia erythrophloia* Hayata 瓊楠 (T, V, C)

447. *Cinnamomum camphora* (L.) Nees & Eberm. 樟 (T, V, C)

448. *Cinnamomum insularimontanum* Hayata 臺灣肉桂 (T, E, M)

449. *Cinnamomum kanehirai* Hayata 牛樟 (T, E, R)

450. *Cinnamomum osmophloeum* Kanehira 土肉桂 (T, E, R)

451. *Cinnamomum subavenium* Miq. 香桂 (T, V, C)

452. *Lindera communis* Hemsl. 香葉樹 (T, V, C)

453. *Litsea acuminata* (Blume) Kurata 長葉木薑子 (T, V, C)

454. *Litsea cubeba* (Lour.) Persoon 山胡椒 (S, V, C)

455. *Litsea elongata* (Wall. ex Nees) Benth. & Hook. f. var. *mushaensis* (Hayata) J. C. Liao 霧社木薑子 (T, V, C)

456. *Litsea hypophaea* Hayata 小梗木薑子 (T, E, C)

457. *Machilus japonica* Sieb. & Zucc. 假長葉楠 (T, V, C)

458. *Machilus japonica* Sieb. & Zucc. var. *kusanoi* (Hayata) Liao 大葉楠 (T, E, C)

459. *Machilus konishii* Hayata 小西氏楠 (T, E, M)

460. *Machilus thunbergii* Sieb. & Zucc. 紅楠 (T, V, C)

461. *Machilus zuihoensis* Hayata 香楠 (T, E, C)

462. *Neolitsea aciculata* (Blume) Koidz. var. *variabilissima* (Hayata) J. C. Liao 變葉新木薑子 (T, V, M)

463. *Neolitsea acuminatissima* (Hayata) Kanehira & Sasaki 高山新木薑子 (T, E, C)

464. *Neolitsea konishii* (Hayata) Kanehira & Sasaki 五掌楠 (T, V, C)

465. *Neolitsea parvigemma* (Hayata) Kanehira & Sasaki 小芽新木薑子 (T, E, M)

466. *Neolitsea sericea* (Blume) Koidz. 白新木薑子 (T, V, M)

467. *Phoebe formosana* (Hayata) Hayata 臺灣雅楠 (T, V, C)

468. *Sassafras randaiense* (Hayata) Rehder 臺灣擦樹 (T, E, R)

82. Loganiaceae 馬錢科

469. *Buddleja asiatica* Lour. 駁骨丹 (S, V, C)

83. Loranthaceae 桑寄生科

470. *Taxillus lonicerifolius* (Hayata) Chiu 忍冬葉桑寄生 (S, E, C)

84. Lythraceae 千屈菜科

471. *Lagerstroemia speciosa* (L.) Pers. 大花紫薇 (T, D, C)

472. *Lagerstroemia subcostata* Koehne 九芎 (T, V, C)

85. Magnoliaceae 木蘭科

473. *Michelia compressa* (Maxim.) Sargent 烏心石 (T, V, C)

86. Malvaceae 錦葵科

474. *Hibiscus mutabilis* L. var. *roseo-plenus* Nakai 重瓣芙蓉 (S, D, C)

475. *Hibiscus taiwanensis* Hu 山芙蓉 (S, E, C)

476. *Sida acuta* Burm. f. 細葉金午時花 (S, V, C)

477. *Sida rhombifolia* L. 金午時花 (S, V, C)

87. Melastomataceae 野牡丹科

478. *Barthea barthei* (Hance) Krass 深山野牡丹 (S, E, C)

479. *Blastus cochinchinensis* Lour. 柏拉木 (S, V, C)

480. *Melastoma candidum* D. Don 野牡丹 (S, V, C)

481. *Osbeckia chinensis* L. 金錦香 (H, V, C)

482. *Otanthera scaberrima* (Hayata) Ohwi 糙葉耳藥花 (S, E, C)

483. *Pachycentria formosana* Hayata 臺灣厚距花 (S, E, C)

484. *Sarcopyramis napalensis* Wall. var. *bodinieri* Levl. 肉穗野牡丹 (H, V, M)

485. *Sarcopyramis napalensis* Wall. var. *delicata* (C. B. Robinson) S. F. Huang & T. C. Huang 東方肉穗野牡丹 (H, V, C)

486. *Tibouchina semidecandra* Cogn. 豔紫野牡丹 (S, D, M)

88. Meliaceae 楝科

487. *Melia azedarach* L. 楝 (T, V, C)

488. *Toona sinensis* (Juss.) M. Roem. 香椿 (T, D, C)

89. Menispermaceae 防己科

489. *Cocculus orbiculatus* (L.) DC. 木防己 (C, V, C)

490. *Pericampylus formosanus* Diels 蓬萊藤 (C, V, C)

491. *Stephania japonica* (Thunb. ex Murray) Miers 千金藤 (C, V, C)

90. Moraceae 桑科

492. *Broussonetia kaempferi* Sieb. 楮樹 (S, V, M)

493. *Broussonetia papyrifera* (L.) L'Herit. ex Vent. 構樹 (T, V, C)

494. *Ficus erecta* Thunb. var. *beeheyana* (Hook. & Arn.) King 牛乳榕 (T, V, C)

495. *Ficus fistulosa* Reinw. ex Blume 水同木 (T, V, C)

496. *Ficus formosana* Maxim. 天仙果 (S, V, C)

497. *Ficus microcarpa* L. f. 榕 (T, V, C)

498. *Ficus nervosa* Heyne 九丁榕 (T, V, C)

499. *Ficus pumila* L. 薜荔 (C, V, C)

500. *Ficus pumila* L. var. *awkeotsang* (Makino) Corner 愛玉子 (C, E, C)

501. *Ficus sarmentosa* Buch.-Ham. ex J. E. Sm. var. *nipponica* (Fr. & Sav.) Corner 崖石榴 (C, V, C)

502. *Ficus septica* Burm. f. 稜果榕 (T, V, C)

503. *Humulus scandens* (Lour.) Merr. 葎草 (H, V, C)

504. *Morus australis* Poir. 小葉桑 (S, V, C)

91. Myricaceae 楊梅科

505. *Myrica rubra* (Lour.) Sieb. & Zucc. 楊梅 (T, V, C)

92. Myrsinaceae 紫金牛科

506. *Ardisia cornudentata* Mez 鐵雨傘 (S, E, C)

507. *Ardisia cornudentata* Mez ssp. *morrisonensis* (Hayata) Yuen P. Yang 玉山紫金牛 (S, E, C)

508. *Ardisia cornudentata* Mez ssp. *morrisonensis* (Hayata) Yuen P. Yang var. *stenosepala*
(Hayata) Yuen P. Yang 阿里山紫金牛 (, ,)

509. *Ardisia crenata* Sims 硃砂根 (S, V, C)

510. *Ardisia quinquegona* Blume 小葉樹杞 (T, V, C)

511. *Ardisia sieboldii* Miq. 樹杞 (T, V, C)

512. *Ardisia virens* Kurz 黑星紫金牛 (S, V, C)

513. *Embelia laeta* (L.) Mez 藤木樹 (S, V, M)

514. *Embelia lenticellata* Hayata 賽山椒 (S, E, M)

515. *Maesa japonica* (Thunb.) Moritzi 山桂花 (S, V, C)

516. *Maesa perlaria* (Lour.) Merr. var. *formosana* (Mez) Yuen P. Yang 臺灣山桂花 (S, V, C)

517. *Myrsine stolonifera* (Koidz.) Walker 蔓竹杞 (S, V, M)

93. Myrtaceae 桃金娘科

518. *Eucalyptus robusta* Smith 大葉桉 (T, D, C)

519. *Rhodomyrtus tomentosa* (Ait.) Hassk. 桃金娘 (S, V, M)

520. *Syzygium buxifolium* Hook. & Arn. 小葉赤楠 (T, V, C)

521. *Syzygium formosanum* (Hayata) Mori 臺灣赤楠 (T, E, C)

94. Oleaceae 木犀科

522. *Fraxinus griffithii* C. B. Clarke 白雞油 (T, E, C)

523. *Jasminum mesnyi* Hance 雲南黃馨 (S, D, C)

524. *Jasminum nervosum* Lour. 山素英 (S, E, C)

525. *Ligustrum microcarpum* Kanehira & Sasaki 小實女貞 (T, E, M)

526. *Ligustrum pricei* Hayata 阿里山女貞 (S, E, M)

527. *Osmanthus heterophyllus* (G. Don) P. S. Green 刺格 (T, ,)

528. *Osmanthus kanoi* (Liu et Liao) S. Y. Lu 高氏木犀 (T, E, M)

529. *Osmanthus matsumuranus* Hayata 大葉木犀 (T, V, C)

95. Piperaceae 胡椒科

530. *Peperomia nakaharai* Hayata 山椒草 (H, E, M)

531. *Peperomia sui* Lin & Lu 紅莖椒草 (H, E, M)

532. *Piper kadsura* (Choisy) Ohwi 風藤 (C, V, C)

533. *Piper sintenense* Hatusima 薄葉風藤 (C, E, C)

96. Pittosporaceae 海桐科

534. *Pittosporum daphniphyloides* Hayata 大葉海桐 (S, E, M)

535. *Pittosporum illicoides* Makino 疏果海桐 (S, V, C)

97. Plantaginaceae 車前草科

536. *Plantago asiatica* L. 車前草 (H, V, C)

98. Polygalaceae 遠志科

537. *Polygala japonica* Houtt. 瓜子金 (H, V, C)

99. Polygonaceae 蓼科

538. *Fagopyrum esculentum* Moench. 蕎麥 (H, D, C)

539. *Polygonum barbatum* L. 毛蓼 (H, V, C)

540. *Polygonum chinense* L. 火炭母草 (H, V, C)

541. *Polygonum hydropiper* L. 水蓼 (H, V, C)

542. *Polygonum multiflorum* Thunb. 何首烏 (C, D, C)

543. *Polygonum multiflorum* Thunb. var. *hypoleucum* (Ohwi) Liu, Ying & Lai 臺灣何首烏 (C, E, C)

544. *Polygonum perfoliatum* L. 扛板歸 (H, V, C)

545. *Polygonum posumbu* Buch.-Ham. ex Don 花蓼 (H, V, C)

546. *Polygonum senticosum* (Meisn.) Fr. & Sav. 刺蓼 (H, V, M)

547. *Polygonum thunbergii* Sieb. & Zucc. f. *biconvexum* (Hayata) Liu, Ying & Lai 戟葉蓼 (H, V, C)

100. Proteaceae 山龍眼科

548. *Helicia cochichinensis* Lour. 紅葉樹 (T, V, M)

549. *Helicia formosana* Hemsl. 山龍眼 (T, V, C)

101. Punicaceae 安石榴科

550. *Punica granatum* L. 安石榴 (S, D, C)

102. Pyrolaceae 鹿蹄草科

551. *Cheilothea humilis* (D. Don) H. Keng 水晶蘭 (H, V, M)

103. Rafflesiaceae 大花草科

552. *Mitrastemon kawasakii* Hayata 臺灣奴草 (H, E, R)

104. Ranunculaceae 毛茛科

553. *Anemone vitifolia* Buch. -Ham. ex DC. 小白頭翁 (H, V, C)

554. *Clematis formosana* Ktze. 臺灣鐵線蓮 (C, E, M)

555. *Clematis grata* Wall. 串鼻龍 (C, V, C)

556. *Clematis henryi* Oliv. 亨利氏鐵線蓮 (C, V, C)

557. *Clematis leschenaultiana* DC. 銹毛鐵線蓮 (C, V, C)

558. *Clematis meyeniana* Walp. 麥氏鐵線蓮 (C, V, C)

559. *Clematis tashiroi* Maxim. 田代氏鐵線蓮 (C, V, C)

560. *Ranunculus cantoniensis* DC. 水辣菜 (H, V, C)

561. *Ranunculus silerifolius* Lév. 鈎柱毛茛 (H, V, M)

562. *Thalictrum urbaini* Hayata 傅氏唐松草 (H, E, C)

105. Rhamnaceae 鼠李科

563. *Rhamnus formosana* Matsum. 桶鈎藤 (S, E, C)

564. *Rhamnus nakaharai* (Hayata) Hayata 中原氏鼠李 (S, E, C)

106. Rosaceae 薔薇科

565. *Eriobotrya deflexa* (Hemsl.) Nakai 山枇杷 (T, E, C)

566. *Malus doumeri* (Bois) Chev. 臺灣蘋果 (T, V, R)

567. *Pourthiaea beauverdiana* (Schneider) Hatusima var. *notabilis* (Rehder & Wilson) Hatusima
臺灣老葉兒樹 (T, V, M)

568. *Prunus campanulata* Maxim. 山櫻花 (T, V, C)

569. *Prunus mume* Sieb. & Zucc. 梅 (T, D, C)

570. *Prunus persica* Stokes 桃 (T, D, C)

571. *Prunus phaeosticta* (Hance) Maxim. 黑星櫻 (T, V, C)

572. *Prunus salicina* Lindl. 李 (T, D, C)

573. *Prunus taiwaniana* Hayata 霧社山櫻花 (T, E, R)

574. *Pyracantha koidzumii* (Hayata) Rehder 臺東火刺木 (S, E, R)

575. *Pyrus serotina* Rehder 梨 (T, D, C)

576. *Rhaphiolepis indica* (L.) Lindl. var. *tashiroi* Hayata ex Matsum. & Hayata 石斑木 (T, E, M)

577. *Rosa rugosa* Thunb. 玫瑰 (S, D, C)

578. *Rosa taiwanensis* Nakai 小金櫻 (S, E, M)

579. *Rubus buergeri* Miq. 寒莓 (S, V, C)

580. *Rubus formosensis* Ktze. 臺灣懸鈎子 (S, V, C)

581. *Rubus lambertianus* Ser. ex DC. 高粱泡 (S, V, C)

582. *Rubus pectinellus* Maxim. 刺萼寒莓 (S, V, C)

583. *Rubus wallichianus* Wight & Arnott 鬼懸鈎子 (S, V, C)

107. Rubiaceae 茜草科

584. *Anthocephalus chinensis* (Lam.) A. Rich. ex Walp. 卡鄧伯木 (T, D, M)

585. *Cinchona pubescens* Vahl 大葉雞納樹 (T, D, M)

586. *Coffea arabica* L. 咖啡樹 (T, D, C)

587. *Damnacanthus indicus* Gaertn. 伏牛花 (S, V, C)

588. *Gardenia jasminoides* Ellis 山黃梔 (T, V, C)

589. *Lasianthus fordii* Hance 琉球雞屎樹 (S, V, C)

590. *Lasianthus wallichii* Wight 圓葉雞屎樹 (S, V, C)

591. *Mussaenda pubescens* Ait. f. 毛玉葉金花 (S, E, C)

592. *Nertera granadense* (Mutis ex L. f.) Druce 黑果深柱夢草 (H, V, M)

593. *Ophiorrhiza japonica* Blume 蛇根草 (H, V, C)

594. *Paederia foetida* L. 雞屎藤 (C, V, C)

595. *Psychotria rubra* (Lour.) Poir. 九節木 (S, V, C)

596. *Randia cochinchinensis* (Lour.) Merr. 茜草樹 (T, V, C)

597. *Serissa serissoides* (DC.) Druce 六月雪 (S, D, C)

598. *Tricalysia dubia* (Lindl.) Ohwi 狗骨仔 (T, V, C)
108. Rutaceae 芸香科
599. *Glycosmis citrifolia* (Willd.) Lindl. 石荳舅 (S, V, C)
600. *Murraya paniculata* (L.) Jack. 月橘 (S, V, C)
601. *Phellodendron amurense* Rupr. var. *wilsonii* (Hayata & Kanehira) Chang 臺灣黃蘗 (T, E, R)
602. *Skimmia arisanensis* Hayata 阿里山茵芋 (S, E, M)
603. *Skimmia reevesiana* Fortune 深紅茵芋 (S, V, C)
604. *Tetradium meliaefolia* (Hance) Benth. 賊仔樹 (T, V, C)
605. *Tetradium ruticarpum* (A. Juss.) T. Hartley 吳茱萸 (T, V, M)
606. *Toddalia asiatica* (L.) Lam. 飛龍掌血 (C, V, C)
607. *Zanthoxylum ailanthoides* Sieb. & Zucc. 食茱萸 (T, V, C)
608. *Zanthoxylum schinifolium* Sieb. & Zucc. 翼柄花椒 (S, V, C)
109. Sabiaceae 清風藤科
609. *Meliosma callicarpaefolia* Hayata 紫珠葉泡花 (T, E, M)
610. *Meliosma rhoifolia* Maxim. 山豬肉 (T, V, M)
611. *Meliosma rigida* Sieb. & Zucc. 筆羅子 (T, V, C)
612. *Meliosma squamulata* Hance 綠樟 (T, V, C)
110. Salicaceae 楊柳科
613. *Salix babylonica* L. 垂柳 (T, D, C)
111. Sapindaceae 無患子科
614. *Dodonaea viscosa* (L.) Jacq. 車桑子 (S, V, C)
615. *Koelreuteria henryi* Dummer 臺灣樂樹 (T, E, C)
616. *Sapindus mukorossii* Gaertn. 無患子 (T, V, C)
112. Saxifragaceae 虎耳草科
617. *Astilbe longicarpa* (Hayata) Hayata 落新婦 (H, E, C)
618. *Deutzia pulchra* Vidal 大葉溲疏 (S, V, C)
619. *Hydrangea chinensis* Maxim. 華八仙 (S, V, C)
620. *Hydrangea integrifolia* Hayata ex Matsum. & Hayata 大枝掛繡球 (S, E, M)
621. *Hydrangea longifolia* Hayata 長葉繡球 (S, E, M)
622. *Hydrangea macrophylla* (Thunb.) Ser. 繡球花 (S, D, C)
623. *Itea parviflora* Hemsl. 小花鼠刺 (T, E, C)
113. Scrophulariaceae 玄參科
624. *Paulownia fortunei* Hemsl. 泡桐 (T, V, R)
625. *Paulownia kawakamii* Ito 白桐 (T, V, R)
626. *Torenia concolor* Lindley 倒地蜈蚣 (H, V, C)
114. Stachyuraceae 旌節花科
627. *Stachyurus himalaicus* Hook. f. & Thomson ex Benth. 通條木 (T, V, C)
115. Staphyleaceae 省沽油科

628. *Turpinia formosana* Nakai 山香圓 (T, E, C)
116. Styracaceae 安息香科
629. *Alniphyllum pterospermum* Matsum. 假赤楊 (T, V, C)
630. *Styrax formosana* Matsum. 烏皮九芎 (T, E, C)
117. Symplocaceae 灰木科
631. *Symplocos formosana* Brand 臺灣灰木 (, ,)
632. *Symplocos glauca* (Thunb.) Koidz. 山羊耳 (T, V, C)
633. *Symplocos modesta* Brand 小葉白筆 (T, E, C)
634. *Symplocos morrisonicola* Hayata 玉山灰木 (T, V, C)
635. *Symplocos stellaris* Brand 枇杷葉灰木 (T, V, C)
118. Theaceae 茶科
636. *Adinandra formosana* Hayata 臺灣楊桐 (T, E, C)
637. *Adinandra lasiostyla* Hayata 毛柱楊桐 (T, E, M)
638. *Camellia japonica* L. 日本山茶 (T, V, M)
639. *Camellia salicifolia* Champ. 柳葉山茶 (T, V, R)
640. *Eurya glaberrima* Hayata 厚葉柃木 (T, E, C)
641. *Eurya loquaiana* Dunn 細枝柃木 (T, V, C)
642. *Eurya strigillosa* Hayata 粗毛柃木 (T, E, M)
643. *Gordonia axillaris* (Roxb.) Dietr. 大頭茶 (T, V, C)
644. *Schima superba* Gardn. & Champ. 木荷 (T, V, C)
645. *Ternstroemia gymnanthera* (Wight & Arn.) Sprague 厚皮香 (T, V, C)
119. Trochodendraceae 昆欄樹科
646. *Trochodendron aralioides* Sieb. & Zucc. 昆欄樹 (T, V, C)
120. Ulmaceae 榆科
647. *Aphananthe aspera* (Thunb. ex Murray) Planch. 糙葉樹 (T, V, C)
648. *Celtis formosana* Hayata 石朴 (T, E, C)
649. *Trema orientalis* (L.) Blume 山黃麻 (T, V, C)
650. *Zelkova serrata* (Thunb.) Makino 欒 (T, V, C)
121. Urticaceae 蕁麻科
651. *Boehmeria densiflora* Hook. & Arn. 密花苧麻 (S, V, C)
652. *Boehmeria formosana* Hayata 臺灣苧麻 (S, V, C)
653. *Boehmeria nivea* (L.) Gaudich. var. *tenacissima* (Gaudich.) Miq. 青苧麻 (H, V, C)
654. *Boehmeria wattersii* (Hance) Shih & Yang 長葉苧麻 (S, V, C)
655. *Chamabainia cuspidata* Wight 蟲蟻麻 (H, V, C)
656. *Debregeasia edulis* (Sieb. & Zucc.) Wedd. 水麻 (S, V, C)
657. *Dendrocnide meyeniana* (Walp.) Chew 咬人狗 (T, V, C)
658. *Elatostema lineolatum* Forst. var. *major* Thwait. 冷清草 (H, V, C)
659. *Elatostema multicanaliculatum* Shih & Yang 多溝樓梯草 (H, E, R)

660. *Elatostema parvum* (Blume) Miq. 絨莖樓梯草 (H, V, C)
 661. *Elatostema platyphylloides* Shih & Yang 闊葉樓梯草 (H, V, C)
 662. *Gonostegia hirta* (Blume) Miq. 糯米團 (H, V, C)
 663. *Nanocnide japonica* Blume 花點草 (H, V, C)
 664. *Oreocnide pedunculata* (Shirai) Masamune 長梗紫麻 (T, V, C)
 665. *Pellionia radicans* (Sieb. & Zucc.) Wedd. 赤車使者 (H, V, C)
 666. *Pilea angulata* (Blume) Blume 長柄冷水麻 (H, V, C)
 667. *Pilea aquarum* Dunn ssp. *brevicornuta* (Hayata) C. J. Chen 短角冷水麻 (H, V, C)
 668. *Pilea funkikensis* Hayata 奮起湖冷水麻 (H, E, C)
 669. *Pilea melastomoides* (Poir.) Wedd. 大冷水麻 (H, V, C)
 670. *Pilea microphylla* (L.) Leibm. 小葉冷水麻 (H, R, C)
 671. *Pilea pumila* (L.) A. Gray. 透莖冷水麻 (H, V, C)
 672. *Pilea rotundinucula* Hayata 圓果冷水麻 (H, E, C)
 673. *Pouzolzia elegans* Wedd. 水雞油 (S, V, C)
 674. *Pouzolzia zeylanica* (L.) Benn. 霧水葛 (H, V, C)
 675. *Procris laevigata* Blume 烏來麻 (H, V, C)
 676. *Urtica thunbergiana* Sieb. & Zucc. 咬人貓 (H, V, C)

122. Verbenaceae 馬鞭草科

677. *Callicarpa formosana* Rolfe 杜虹花 (T, V, C)
 678. *Callicarpa randaiensis* Hayata 巒大紫珠 (S, E, M)
 679. *Clerodendrum canescens* Wall. 白毛臭牡丹 (S, V, M)
 680. *Clerodendrum trichotomum* Thunb. 海州常山 (T, V, C)

123. Violaceae 堇菜科

681. *Viola formosana* Hayata 臺灣堇菜 (H, E, C)

124. Vitaceae 葡萄科

682. *Ampelopsis cantoniensis* (Hook. & Arn.) Planch. 廣東山葡萄 (C, V, C)
 683. *Cayratia japonica* (Thunb.) Gagnep. 虎葛 (C, V, C)
 684. *Tetrastigma formosanum* (Hemsl.) Gagnep. 三葉崖爬藤 (C, V, C)

4. Monocotyledons 單子葉植物

125. Acoraceae 菖蒲科

685. *Acorus gramineus* Soland. 石菖蒲 (H, V, C)

126. Amaryllidaceae 石蒜科

686. *Hippeastrum equestre* (Ait.) Herb. 孤挺花 (H, D, C)

127. Araceae 天南星科

687. *Alocasia odora* (Roxb.) C. Koch 姑婆芋 (H, V, C)
 688. *Arisaema formosana* (Hayata) Hayata 臺灣天南星 (H, E, C)
 689. *Colocasia formosana* Hayata 山芋 (H, E, C)
 690. *Epipremnum pinnatum* (L.) Engl. 拎樹藤 (C, V, C)

691. *Pothos chinensis* (Raf.) Merr. 柚葉藤 (C, V, C)
692. *Remusatia vivipara* (Lodd.) Schott 臺灣目賊芋 (H, E, M)
128. Areaceae 棕櫚科
693. *Arenga engleri* Beccari 山棕 (S, V, C)
694. *Calamus quiquesetinervius* Burret. 黃藤 (C, E, C)
129. Cannaceae 美人蕉科
695. *Canna indica* L. 白連蕉花 (H, R, C)
130. Commelinaceae 鴨跖草科
696. *Polia japonica* Thunb. 杜若 (H, V, C)
697. *Tradescantia fluminensis* Vell. 水竹草 (H, R, C)
131. Cyperaceae 莎草科
698. *Carex baccans* Nees 紅果薹 (H, V, C)
699. *Carex hoozanensis* Hayata 鳳凰宿柱薹 (H, V, M)
132. Dioscoreaceae 薯蕷科
700. *Dioscorea matsudae* Hayata 裏白葉薯榔 (C, V, C)
133. Iridaceae 鳶尾科
701. *Belamcanda chinensis* (L.) DC. 射干 (H, D, C)
134. Liliaceae 百合科
702. *Aspidistra elatior* Blume var. *attenuata* (Hayata) S. S. Ying 大武蜘蛛抱蛋 (H, E, C)
703. *Dianella ensifolia* (L.) DC. ex Redoute. 桔梗蘭 (H, V, C)
704. *Disporopsis fuscopicota* Hance var. *arisanensis* (Hayata) S. S. Ying 阿里山假寶鐸花 (H, E, C)
705. *Disporum kawakamii* Hayata 臺灣寶鐸花 (H, E, C)
706. *Tricyrtis formosana* Bak. 臺灣油點草 (H, E, C)
135. Musaceae 芭蕉科
707. *Musa basjoo* Siebold var. *formosana* (Warb.) S. S. Ying 臺灣芭蕉 (H, E, C)
136. Orchidaceae 蘭科
708. *Acanthephippium striatum* Lindl. 一葉鍾馗蘭 (H, V, M)
709. *Anoectochilus formosanus* Hayata 臺灣金線蓮 (H, V, R)
710. *Ascocentrum pumilum* (Hayata) Schltr. 小鹿角蘭 (H, E, C)
711. *Bulbophyllum affine* Lindl. 高士佛豆蘭 (H, V, C)
712. *Bulbophyllum chitouense* S. S. Ying 溪頭豆蘭 (H, E, U)
713. *Bulbophyllum insulsum* (Gagnep.) Seidenf. 穗花捲瓣蘭 (H, E, M)
714. *Bulbophyllum melanoglossum* Hayata 紫紋捲瓣蘭 (H, E, M)
715. *Bulbophyllum omerandrum* Hayata 溪頭捲瓣蘭 (H, E, M)
716. *Bulbophyllum pectinatum* Finet 阿里山豆蘭 (H, E, C)
717. *Bulbophyllum retusiusculum* Reichb. f. 黃萼捲瓣蘭 (H, E, M)
718. *Calanthe alismifolia* Lindl. 細點根節蘭 (H, V, M)

719. *Calanthe arisanensis* Hayata 阿里山根節蘭 (H, E, C)
720. *Calanthe densiflora* Lindl. 竹葉根節蘭 (H, V, M)
721. *Calanthe graciliflora* Hayata 細花根節蘭 (H, E, R)
722. *Calanthe sylvatica* (Thouars) Lindl. 長距根節蘭 (H, V, C)
723. *Calanthe triplicata* (Willem.) Ames 白鶴蘭 (H, V, C)
724. *Cheirostylis chinensis* Rolfe 臺灣指柱蘭 (H, E, M)
725. *Chiloschista segawai* (Masamune) Masamune & Fukuyama 大蜘蛛蘭 (H, E, R)
726. *Chrysoglossum ornatum* Blume 金蟬蘭 (H, V, C)
727. *Cremastra appendiculata* (D. Don) Makino 馬鞭蘭 (H, V, M)
728. *Cymbidium dayanum* Reichb. f. 鳳蘭 (H, V, C)
729. *Cymbidium floribundum* Lindl. 金稜邊蘭 (H, V, R)
730. *Cymbidium goeringii* (Reichb. f.) Reichb. f. 春蘭 (H, V, M)
731. *Cymbidium lancifolium* Hook. f. 竹柏蘭 (H, V, C)
732. *Cyrtosia javanica* Blume 肉果蘭 (, ,)
733. *Dendrobium aurantiacum* Reichb. f. 金草 (H, V, C)
734. *Dendrobium falconeri* Hook. 紅鸞石斛 (H, V, R)
735. *Dendrobium moniliforme* (L.) Sw. 石斛 (H, V, C)
736. *Epigeneium nakaharaei* (Schltr.) Summerh. 臘石斛 (H, E, M)
737. *Eria amica* Reichb. f. 小腳筒蘭 (H, V, M)
738. *Eria corneri* Reichb. f. 黃絨蘭 (H, V, C)
739. *Eria ovata* Lindl. 大腳筒蘭 (H, V, C)
740. *Galeola falconeri* Hook. f. 小囊山珊瑚 (, ,)
741. *Galeola lindleyana* (Hook. f. & Thoms.) Reichb. f. 山珊瑚 (H, E, M)
742. *Gastrochilus ciliaris* F. Maekawa 緣毛松蘭 (H, V, R)
743. *Gastrochilus formosanus* (Hayata) Hayata 臺灣松蘭 (H, E, C)
744. *Gastrodia appendiculata* C. S. Leou et N. J. Chung 無蕊喙赤箭 (, ,)
745. *Gastrodia confusa* Honda et Tuyama 八代赤箭 (, ,)
746. *Gastrodia flabilabella* Ying 夏赤箭 (H, E, R)
747. *Gastrodia gracillis* Blume 山赤箭 (H, V, R)
748. *Gastrodia pubilabiata* Sawa 冬赤箭 (H, E, R)
749. *Goodyera bilamellata* Hayata 雙板斑葉蘭 (H, E, M)
750. *Goodyera velutina* Maxim. ex Reyel 烏嘴蓮 (H, V, C)
751. *Haraella retrocalla* (Hayata) Kudo 香蘭 (H, E, M)
752. *Holcoglossum quasipinifolium* (Hayata) Schltr. 松葉蘭 (H, E, R)
753. *Lecanorchis thalassica* T. P. Lin 紋皿柱蘭 (H, E, R)
754. *Liparis bootanensis* Griff. 摺疊羊耳蘭 (H, V, C)
755. *Liparis cordifolia* Hook. f. 心葉羊耳蒜 (H, V, C)
756. *Liparis elliptica* Wight 扁球羊耳蒜 (H, V, C)

757. *Liparis formosana* Reichb. f. 寶島羊耳蒜 (H, V, C)
 758. *Liparis nakaharai* Hayata 虎頭石 (H, V, C)
 759. *Liparis nigra* Seidenf. 大花羊耳蘭 (H, V, C)
 760. *Liparis sootenzanensis* Fukuyama 黃花羊耳蘭 (H, E, R)
 761. *Malaxis matsudae* (Yamamoto) Hatusima 凹唇小柱蘭 (H, V, M)
 762. *Microtatorchis compacta* (Ames) Schltr. 假蜘蛛蘭 (H, V, R)
 763. *Myrmechis drymoglossifolia* Hay. 阿里山全唇蘭 (H, E, M)
 764. *Oberonia arisanensis* Hayata 阿里山莖白蘭 (H, E, C)
 765. *Oberonia caulescens* Lindl. 二裂唇莖白蘭 (H, V, C)
 766. *Odontochilus brevistylus* Hook. f. 短柱齒唇蘭 (H, E, M)
 767. *Odontochilus elwesii* Clarke ex Hook. f. 紫葉齒唇蘭 (, ,)
 768. *Odontochilus lanceolatus* (Lindl.) Blume 雙囊齒唇蘭 (H, E, C)
 769. *Peristylus calcaratus* (Rolfe) S. Y. Hu 貓鬚蘭 (H, V, M)
 770. *Phaius flavus* (Blume) Lindl. 黃鶴蘭 (H, V, C)
 771. *Phaius takeoi* (Hayata) H. J. Su 粗莖鶴頂蘭 (, ,)
 772. *Pholidota cantonensis* Rolfe 烏來石山桃 (H, E, C)
 773. *Pleione bulbocodioides* (Franch.) Rolfe 臺灣一葉蘭 (H, E, R)
 774. *Sunipia andersonii* (King & Pantl.) P. F. Hunt 綠花寶石蘭 (H, E, M)
 775. *Taeniophyllum complanatum* Fukuyama 長腳蜘蛛蘭 (H, E, M)
 776. *Taeniophyllum glandulosum* Blume 蜘蛛蘭 (H, V, C)
 777. *Tainia dunnii* Rolfe 長葉杜鵑蘭 (H, E, M)
 778. *Thrixspermum formosanum* (Hayata) Schltr. 臺灣風蘭 (H, E, C)
 779. *Thrixspermum saruwatarii* (Hayata) Schltr. 小白蛾蘭 (H, E, M)
 780. *Vanilla albida* Blume 臺灣凡尼蘭 (H, E, M)
 781. *Zeuxine reflexa* King & Pantl. 阿里山線柱蘭 (, ,)
 782. *Zeuxine tenuifolia* Tuyama 毛鞘線柱蘭 (, ,)

137. Poaceae 禾本科

783. *Arundinaria hindsii* Munro 邢氏苦竹 (T, D, C)
 784. *Arundinaria linearis* Hackel 琉球苦竹 (S, D, C)
 785. *Arundinaria simonii* (Carriere) A. & C. Riviere 空心苦竹 (T, D, C)
 786. *Arundo formosana* Hack. 臺灣蘆竹 (H, V, C)
 787. *Bambusa arundinacea* (Retz.) Willd. 茨竹 (T, D, C)
 788. *Bambusa beecheyana* Munro 南洋竹 (T, D, C)
 789. *Bambusa beecheyana* Munro var. *pubescens* (Li) Lin 大頭典竹 (T, D, C)
 790. *Bambusa dolichomerithalla* Hayata 火廣竹 (T, E, M)
 791. *Bambusa edulis* (Odashima) Keng 烏腳綠竹 (T, D, C)
 792. *Bambusa multiplex* (Lour.) Raeuschel 蓬萊竹 (T, D, C)
 793. *Bambusa oldhamii* Munro 綠竹 (T, D, C)

794. *Bambusa pachinensis* Hayata 八芝蘭竹 (T, E, M)
795. *Bambusa pachinensis* Hayata var. *hirsutissima* (Odashima) Lin 長毛八芝蘭竹 (T, E, M)
796. *Bambusa stenostachya* Hackel 刺竹 (T, V, C)
797. *Bambusa ventricosa* McClure 葫蘆竹 (T, D, C)
798. *Bambusa vulgaris* Schrad. ex Wendl. 泰山竹 (T, D, C)
799. *Bambusa vulgaris* Schrad. ex Wendl. var. *striata* (Loddiges) Gamble 金絲竹 (T, D, C)
800. *Chimonobambusa quadrangularis* (Fenzi) Makino 四方竹 (T, D, C)
801. *Cyrtococcum patens* (L.) A. Camus 弓果黍 (H, V, C)
802. *Dendrocalamus latiflorus* Munro 麻竹 (T, D, C)
803. *Dendrocalamus strictus* (Roxburgh) Nees 印度實竹 (T, D, M)
804. *Digitaria violascens* Link 紫果馬唐 (H, V, C)
805. *Eleusine indica* (L.) Gaertn. 牛筋草 (H, V, C)
806. *Isachne globosa* (Thunb.) Ktze. 柳葉箬 (H, V, C)
807. *Melocanna baccifera* (Roxb.) Kurz 梨果竹 (T, D, C)
808. *Miscanthus floridulus* (Labill.) Warb. ex Schum. & Laut. 五節芒 (H, V, C)
809. *Ochlandra capitata* (Kunth) E. G. Camus 奧克蘭竹 (T, D, C)
810. *Panicum brevifolium* L. 短葉黍 (H, V, M)
811. *Paspalum distichum* L. 雙穗雀稗 (H, V, C)
812. *Phyllostachys aurea* Carr. ex A. & C. Riviere 布袋竹 (T, D, C)
813. *Phyllostachys bambusoides* Sieb. & Zucc. 剛竹 (T, D, C)
814. *Phyllostachys lithophila* Hayata 石生江南竹 (T, D, C)
815. *Phyllostachys makinoi* Hayata 桂竹 (S, D, C)
816. *Phyllostachys nigra* (Lodd.) Munro 烏竹 (T, D, C)
817. *Phyllostachys nuda* McClure 裸箬竹 (T, D, C)
818. *Phyllostachys pubescens* Mazel ex H. de Leh. 孟宗竹 (T, R, C)
819. *Phyllostachys pubescens* Mazel var. *heterocycla* H. de Lehaie 龜甲竹 (T, D, C)
820. *Poa annua* L. 早熟禾 (H, V, C)
821. *Pogonatherum crinitum* (Thunb.) Kunth 金絲草 (H, V, C)
822. *Pseudosasa japonica* (Sieb. & Zucc.) Makino 日本矢竹 (S, D, C)
823. *Pseudosasa usawai* (Hayata) Makino & Nemoto 包箬矢竹 (S, E, C)
824. *Schizostachyum diffusum* (Blanco) Merr. 莎勒竹 (H, V, M)
825. *Semiarundinaria fastuosa* (Mitford) Makino 業平竹 (T, D, C)
826. *Setaria palmifolia* (J. König) Stapf 棕葉狗尾草 (H, V, C)
827. *Setaria viridis* (L.) Beauv. 狗尾草 (H, V, C)
828. *Sinobambusa kunishii* (Hayata) Nakai 臺灣矢竹 (S, E, C)
829. *Sinobambusa tootsik* (Makino) Makino 唐竹 (T, D, C)
830. *Thyrsostachys siamensis* (Kurz) Gamble 暹羅竹 (T, D, M)
831. *Yushania niitakayamensis* (Hayata) Keng f. 玉山箭竹 (S, V, C)

138. Smilacaceae 菝契科

832. *Smilax china* L. 菝契 (C, V, C)

139. Zingiberaceae 薑科

833. *Alpinia shimadae* Hayata 七星月桃 (H, E, C)

834. *Alpinia zerumbet* (Pers.) Burt & Smith 月桃 (H, V, C)

835. *Hedychium coronarium* Koenig 野薑花 (H, R, C)

欄 A - T: 木本, S: 灌木, C: 藤本, H: 草本

屬性代碼(A, B, C)對照表 欄 B - E: 特有, V: 原生, R: 歸化, D: 栽培

欄 C - C: 普遍, M: 中等, R: 稀有, V: 極稀有, E: 瀕臨滅絕, X: 已滅絕

	蕨類	裸子	雙子葉	單子葉	合計
科數	29	10	85	15	139
屬數	90	27	262	86	465
種數	208	41	435	151	835
喬木	3	33	179	30	245
灌木	1	2	104	7	114
藤本	0	0	50	5	55
草本	204	0	100	101	405
特有	14	17	112	48	191
原生	194	7	272	61	534
歸化	0	0	10	4	14
栽培	0	11	37	30	78
普遍	119	15	324	95	553
中等	74	7	78	33	192
稀有	14	13	29	14	70